

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.zhongneng.nt-rt.ru | | zge@nt-rt.ru

Технические характеристики на установки для очистки и обработки мазута ТУВ-ЕХ, ТУВ-А, ТУВ компании **Zhongneng**

Виды товаров: взрывозащищенные установки по очистке мазута, автоматические установки для обработки мазута, системы фильтрации дизельного топлива, очистители мазута с коалесцирующей сепарацией.

TYB-EX Explosion Proof Type Fuel Oil Purification Plant

TYB-EX Series Explosion Proof Type Fuel Oil Purification Plant integrates fine filter, high efficiency demulsification and dehydration into one body. This machine can quickly separate water from the oil, which even contains half water. Convenient using with the go-cart model designed. In a word, it is be used for fast removal of water and impurities in fuel oil or light oil which contains large amount of water.



Model: TYB-EX-30

Brand: ZHONGNENG

Code: 8421299090

Product Description
Technical Specification

Features:

- 1 Adopt special oil water separator which requires no heating offering more than 20 times dewatering efficiency over other types of purifiers.
- 2 As no heating is needed, the additives in the oil are well prevented from degradation or deterioration.
- 3 Easy-to-operate, water can be discharged online automatically without the presence of duty operators.
- 4 Low operation cost, 20%-40% lower than vacuum purifier, centrifugal purifier and filter press
- 5. Equipped with explosion proof device, enhance the safety performance of machine in the working process.

Advantages:

This machine, which can remove large of water without heating, creates the fastest dehydration speed at present. It can quickly separate water from the oil which even contains half water and attain cleanness of NAS grade 6. This machine is suitable for treating fuel oil and light oil with high water content.

Technical Specification

ITEM		TYB-10	TYB-20	TYB-30	TYB-50	TYB-80	TYB-100
Flow Rate (L/H)		600	1200	1800	3000	4800	6000
Working pressure (Mpa)		≤0.3					
Water content (PPM)		≤100					
Cleanness (NAS)		≤Grade 6					
Working noise Db(A)		≤70					
Power supply		380V, 50Hz, 3Phase (As per clients' request)					
Nominal power (KW)		0.75	0.75	0.75	2.2	2.2	3
Weight (KG)		80	90	105	135	150	185
Size (MM)	L	700	700	700	850	800	1000
	W	570	570	600	650	650	700
	H	550	600	650	750	800	850

Dimensions will be changed if any special type required

TYB-A Automatic Fuel Oil Treatment Machine

TYB-A Series Automatic Fuel Oil Treatment Machine integrates fine filter, high efficiency demulsification and dehydration into one body. This machine can quickly separate water from the oil, which even contains half water.It can work automatically and equipped with go-cart model. In a word, it is be used for fast removal of water and impurities in fuel oil or light oil which contains large amount of water.



Model: TYB-A-50	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

- Features:**
- 1 Adopt special oil water separator which requires no heating offering more than 20 times dewatering efficiency over other types of purifiers.
 - 2 As no heating is needed, the additives in the oil are well prevented from degradation or deterioration.
 - 3 Easy-to-operate, water can be discharged online automatically without the presence of duty operators.
 - 4 Low operation cost, 20%-40% lower than vacuum purifier, centrifugal purifier and filter press

Advantages:
This machine,which can remove large of water without heating,creates the fatest dehydration speed at present.It can quickly separate water from the oil which even contains half water and attain cleanness of NAS grade 6. This machine is suitable for treating fuel oil and light oil with high water content.

Technical Specification							
ITEM		TYB-10	TYB-20	TYB-30	TYB-50	TYB-80	TYB-100
Flow Rate (L/H)		600	1200	1800	3000	4800	6000
Working pressure (Mpa)		≤0.3					
Water content (PPM)		≤100					
Cleanness (NAS)		≤Grade 6					
Working noise Db(A)		≤70					
Power supply		380V, 50Hz, 3Phase (As per clients' request)					
Nominal power (KW)		0.75	0.75	0.75	2.2	2.2	3
Weight (KG)		80	90	105	135	150	185
Size (MM)	L	700	700	700	850	800	1000
	W	570	570	600	650	650	700
	H	550	600	650	750	800	850

TYB Series Light Fuel Oil Filtration System

Application:

TYB Series Light Fuel Oil Filtration System integrates fine filter, high efficiency demulsification and dehydration into one body. This machine can quickly separate water from the oil, which even contains half water. Convenient using with the go-cart model designed. In a word, it is be used for fast removal of water and impurities in fuel oil or light oil which contains large amount of water.



Model:TYB-20	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

Features:

1. TYB series oil purifier adopts special oil water separator, which offering much more higher water removing efficiency than other types of purifiers.
2. Without vacuum heating and high-speed centrifugation.
3. As no heating is needed, the additives in the oil are well prevented from degradation or deterioration.
4. Reduce water content to less than 100 PPM or less.
5. Trolly type, easy to move and operate in workshop.

Advantages:

This machine,which can remove large of water without heating,creates the fatest dehydration speed at present.It can quickly separate water from the oil which even contains half water and attain cleanness of NAS grade 6. This machine is suitable for treating fuel oil and light oil with high water content.

Technical Specification							
ITEM		TYB-10	TYB-20	TYB-30	TYB-50	TYB-80	TYB-100
Flow Rate (L/H)		600	1200	1800	3000	4800	6000
Working pressure (Mpa)		≤0.3					
Water content (PPM)		≤100					
Cleanness (NAS)		≤Grade 6					
Working noise Db(A)		≤70					
Power supply		380V, 50Hz, 3Phase (As per clients' request)					
Nominal power (KW)		0.75	0.75	0.75	2.2	2.2	3
Weight (KG)		80	90	105	135	150	185
Size (MM)	L	700	700	700	850	800	1000
	W	570	570	600	650	650	700
	H	550	600	650	750	800	850

TYB Coalescing Separation Fuel Oil Purifier

Application:

TYB Series Coalescing Separation Fuel Oil Purifier integrates fine filter, high efficiency demulsification and dehydration into one body. This machine can quickly separate water from the oil, which even contains half water. Convenient using with the go-cart model designed. In a word, it is be used for fast removal of water and impurities in fuel oil or light oil which contains large amount of water.



Model:TYB-10	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

- Features:**
- 1. TYB series oil purifier adopts special coalescence-separation filter, which offering much more higher water removing efficiency than other types of purifiers.
 - 2. Without vacuum heating and high-speed centrifugation.
 - 3. As no heating is needed, the additives in the oil are well prevented from degradation or deterioration.
 - 4. Reduce water content to less than 100 PPM or less.
 - 5.Trolley type, easy to move and operate in workshop.

Advantages:
This machine,which can remove large of water without heating,creates the fastest dehydration speed at present.It can quickly separate water from the oil which even contains half water and attain cleanness of NAS grade 6. This machine is suitable for treating fuel oil and light oil with high water content.

Technical Specification							
ITEM		TYB-10	TYB-20	TYB-30	TYB-50	TYB-80	TYB-100
Flow Rate (L/H)		600	1200	1800	3000	4800	6000
Working pressure (Mpa)		≤0.3					
Water content (PPM)		≤100					
Cleanness (NAS)		≤Grade 6					
Working noise Db(A)		≤70					
Power supply		380V, 50Hz, 3Phase (As per clients' request)					
Nominal power (KW)		0.75	0.75	0.75	2.2	2.2	3
Weight (KG)		80	90	105	135	150	185
Size (MM)	L	700	700	700	850	800	1000
	W	570	570	600	650	650	700
	H	550	600	650	750	800	850

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.zhongneng.nt-rt.ru | | zge@nt-rt.ru