

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.zhongneng.nt-rt.ru | | zge@nt-rt.ru

Технические характеристики на портативные установки для очистки масла PL, JL компании Zhongneng

Виды товаров: портативные очистители масла, устройства для промывки гидравлического масла, машины для очистки гидравлического масла, пластинчатые очистители масла под давлением, установки высокоточной фильтрации масла, трехступенчатые установки очистки отработанного масла, портативные очистители масла и машины для впрыска масла, портативные высокоточные очистители масла, многоступенчатые машины для фильтрации масла и др.

Hydraulic Oil Flushing Unit, Hydraulic Oil Purification Machine



Model:JLF-250	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

Application:

Series JLF is specially designed to clean and flush hydraulic oil pipeline, It intergrates the oiling, oil purification and oil flushing into one whole, can quickly and efficicently wash and clean the oil pipeline.

JLF Hydraulic oil flushing unit is equipped with three-stage filtration system, high pressure oil pump and oil tank, is easy operation, fast and efficiently clean and flushing the hydraulic oil pipeline.

The filtration system is with gradual increasing oil cleaning precision, so JLF hydraulic oil flushing unit can effectively purify and clean the hydraulic oil.

The JLF hydraulic oil flushing unit integates the oil purification unit and flushing unit into a whole. It is more efficient and cost-effective.

JLF hydraulic oil flushing unit can be used as oil filling or oil pumping equipment, It is widely used for various industries such as power, petrochemical, metallurgy, mechanics, railway, etc.

Features:

- 1. The product is equipped with three-stage purification, portable, easy to operate, very low price, no need of purification paper, environmental friendly.
- 2. As composed of precise filtering, this machine is an ideal substitute of the board-frame oil purifier and the centrifugal oil purifier.
- 3. With high pressure pump and oil tank, it is a optimum choice for oil pipeline flushing.
- 4. It is also can serve as precise filtering and oiling.
- 5.It can efficaciously remove impurities including sludge and carbon matters from oil, so as to recover the oil nature and make the machine work normally and effectively.

Advantages:

- 1. Portable and easy for operation.
- 2. Equipped with special filtering material and electrical controller, the machine is more operative.
- 3. Maintaining with high polymer filters, It can effectively remove plenty of sludge, tiny and fine mechanical impurity in oil.

Technical Specification

Technical Parameter:

ITEM	UNIT	JLF-32	JLF-50	JLF-80	JLF-100	JLF-200	JLF-250	JLF-300
Flowrate	Liters/hr	1920	3000	4800	6000	12000	15000	18000
Lift	M	5	5	8	8	10	15	18
Cleanness	NAS	6	6	6	6	6	6	6
Power	KW	12	14	16	18	20	22	28
Power supply		380V/ 50HZ/ 3P (AS PER YOUR REQUIREMENT)						
Weight	KG	480	500	520	550	700	900	1200

PL Plate Pressure Oil Purifier

Share ↗.

Application:

PL Series Plate Pressure Oil Purifier is specially apply in electricity factory, power station, transformer substation of mineral industry company, lubricant warehouse, tractor station, petroleum, chemical industry, metallurgy, national defense industry and so on, for purifying transformer oil, turbine oil, aviation hydraulic oil, and other liquid mixed water and impurities.



Model:PL-50	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

Features:

1. Mainly filtering impurities of transformer oil, turbine oil, engine oil, diesel oil, kerosene, aviation hydraulic oil.
2. It also can be used for filtering edible oil while using stainless steel.
3. Portable,light weight and easy to operate.

Advantaqes:

PL Series oil purifier is characterized by simple structure,easy operation,low cost,etc.This machine is very efficiency to Filtering water and impurities from transformer oil, turbine oil, engine oil, diesel oil, kerosene, aviation hydraulic oil as well as cooking oil which made by stainless steel.

Technical Specification									
Model			PL-30	PL-50	PL-100	PL-125	PL-150	PL-200	PL-300
Rated Current	L/min		30	50	100	125	150	200	300
Working Pressure	Mpa		0-0.5						
Filtering Area	≥m ²		0.3	0.39	1.3	1.54	1.89	2.01	3.1
Plate Dimension	Mm		180*180			280*280			
Press Out			Manual screw						
Quantity of Filtering Room			11	13	10	12	14	18	23
Quantity of Filtering Plate			12	14	11	13	15	19	24
Oil Pump	Flow	L/min	>30	>50	>100	>125	>150	>200	>300
	Pressure	Mpa	0.6						

Dimensions will be changed if any special type required.

PL High Precision Oil Filtering Unit

Application:
PL high precision oil filtering unit s specially apply in electricity factory, power station, transformer substation of mineral industry company, lubricant warehouse, tractor station, petroleum,chemical industry, metallurgy, national defense industry and so on, for purifying transformer oil, turbine oil, aviation hydraulic oil, and other liquid mixed water and impurities.



Model:PL-30	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

- Features:
- 1. Mainly filtering impurities of transformer oil, turbine oil, engine oil, diesel oil, kerosene, aviation hydraulic oil.
 - 2. It also can be used for filtering edible oil while using stainless steel.
 - 3. Portable,light weight and easy to operate.

Advantages:
PL Series oil purifier is characterized by simple structure,easy operation,low cost,etc.This machine is very efficiency to Filtering water and impurities from transformer oil, turbine oil, engine oil, diesel oil, kerosene, aviation hydraulic oil as well as cooking oil which made by stainless steel.

Technical Specification									
Model			PL-30	PL-50	PL-100	PL-125	PL-150	PL-200	PL-300
Rated Current	L/min		30	50	100	125	150	200	300
Working Pressure	Mpa		0-0.5						
Filtering Area	≥m ²		0.3	0.39	1.3	1.54	1.89	2.01	3.1
Plate Dimension	Mm		180*180		280*280				
Press Out			Manual screw						
Quantity of Filtering Room			11	13	10	12	14	18	23
Quantity of Filtering Plate			12	14	11	13	15	19	24
Oil Pump	Flow	L/min	>30	>50	>100	>125	>150	>200	>300
	Pressure	Mpa	0.6						

Dimensions will be changed if any special type required.

JL Three Stages Used Oil Purification Unit

Application:

JL three stages used oil purification unit is composed of three-stage precise filtering. This machine is an ideal substitute of the board-frame oil purifier and the centrifugal oil purifier. It is also can serve as precise filtering and oiling.



Model:JL-50	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

- Features:
- 1. Purify the tiny and fine mechanical impurities oil to remove the harmful materials.
 - 2. A prior choice for high precision removing impurities.
 - 3. With the function of oil filling & oil drawing.(for equipments required small quantity of oil)

Advantages:

This machine is equipped with three-stage purification, portable, easy to operate, very low price, no need of purification paper, no contamination to the ground.Machine can effectively purify the tiny and fine mechanical impurity min oil, enabling it to be a prior choice of power industry, petroleum, chemical, metallurgy, mechanics and railway for oil filling, oil drawing and high precision impurity removal of mutual inductor, lathe, and oil breaker which do not use large quantity of oil.

Technical Specification							
-------------------------	--	--	--	--	--	--	--

ITEM	UNIT	JL-32	JL-50	JL-80	JL-100	JL-200	JL-300
Flowrate	Liters/hr	1920	3000	4800	6000	12000	18000
Lift	M	5	5	8	8	10	15
Cleanness	NAS	6	6	6	6	6	6
Power	KW	0.75	1.0	1.5	2.5	3.5	4.5
Power supply		380V/ 50HZ/ 3P (AS PER YOUR REQUIREMENT)					
Weight	KG	95	105	120	150	200	250

Dimensions will be changed if any special type required.

JL Portable Oil Purifier And Oil Injection Machine

Application:
JL Portable Oil Purifier and Oil Injection Machine is composed of three-stage precise filtering. This machine is an ideal substitute of the board-frame oil purifier and the centrifugal oil purifier. It is also can serve as precise filtering and oiling.



Model:JL-100

Brand:ZHONGNENG

Code:8421299090

Product Description
Technical Specification

Features:

1. Purify the tiny and fine mechanical impurities oil to remove the harmful materials.
2. A prior choice for high precision removing impurities.
3. With the function of oil filling & oil drawing (for equipments required small quantity of oil)

Advantages:

This machine is equipped with three-stage purification, portable, easy to operate, very low price, no need of purification paper, no contamination to the ground.Machine can effectively purify the tiny and fine mechanical impurity min oil, enabling it to be a prior choice of power industry, petroleum, chemical, metallurgy, mechanics and railway for oil filling, oil drawing and high precision impurity removal of mutual inductor, lathe, and oil breaker which do not use large quantity of oil.

Technical Specification							
ITEM	UNIT	JL-32	JL-50	JL-80	JL-100	JL-200	JL-300
Flowrate	Liters/hr	1920	3000	4800	6000	12000	18000
Lift	M	5	5	8	8	10	15
Cleanness	NAS	6	6	6	6	6	6
Power	KW	0.75	1.0	1.5	2.5	3.5	4.5
Power supply		380V/ 50HZ/ 3P (AS PER YOUR REQUIREMENT)					
Weight	KG	95	105	120	150	200	250

Dimensions will be changed if any special type required.

JL Portable High Precision Oil Purifier



Application:
JL Series Portable High Precision Oil Purifier is an ideal substitute of the board-frame oil purifier and the centrifugal oil purifier. It is also can serve as precise filtering and oiling.

Model:JL-50	Brand:ZHONGNENG	Code:8421299090
Product Description		

Technical Specification Features:

- 1. Can Purify the tiny and fine mechanical impurities oil to remove the harmful materials.
- 2. A prior choice for high precision removing impurities.
- 3. With the function of oil filling & oil drawing.(for equipments required small quantity of oil)

Advantages:

This machine is movable and very easy to operate, very low price, no need of purification paper, no contamination to the ground. Machine can effectively purify the tiny and fine mechanical impurity min oil, enabling it to be a prior choice of power industry, petroleum, chemical, metallurgy, mechanics and railway for oil filling, oil drawing and high precision impurity removal of mutual inductor, lathe, and oil breaker which do not use large quantity of oil.


Technical Specification							
-------------------------	--	--	--	--	--	--	--

ITEM	UNIT	JL-32	JL-50	JL-80	JL-100	JL-200	JL-300
Flowrate	Liters/hr	1920	3000	4800	6000	12000	18000
Lift	M	5	5	8	8	10	15
Cleanness	NAS	6	6	6	6	6	6
Powert	KW	0.75	1.0	1.5	2.5	3.5	4.5
Power supply		380V/ 50HZ/ 3P (AS PER YOUR REQUIREMENT)					
Weight	KG	95	105	120	150	200	250

Dimensions will be changed if any special type required

JL Multi-Stages Oil Filtering Machine

Application:
JL Series Multi-Stage Oil Filtering Machine is composed of three-stage precise filtering. This machine is an ideal substitute of the board-frame oil purifier and the centrifugal oil purifier. It is also can serve as precise filtering and oiling.



Model:JL-32	Brand:ZHONGNENG	Code:8421299090
Product Description		
Technical Specification		

- Features:**
- 1. Purify the tiny and fine mechanical impurities oil to remove the harmful materials.
 - 2. A prior choice for high precision removing impurities.
 - 3. With the function of oil filling & oil drawing.(for equipments required small quantity of oil)

Advantages:
This machine is equipped with three-stage purification, portable, easy to operate, very low price, no need of purification paper, no contamination to the ground. Machine can effectively purify the tiny and fine mechanical impurity min oil, enabling it to be a prior choice of power industry, petroleum, chemical, metallurgy, mechanics and railway for oil filling, oil drawing and high precision impurity removal of mutual inductor, lathe, and oil breaker which do not use large quantity of oil.

Technical Specification

ITEM	UNIT	JL-32	JL-50	JL-80	JL-100	JL-200	JL-300
Flowrate	Liters/hr	1920	3000	4800	6000	12000	18000
Lift	M	5	5	8	8	10	15
Cleanness	NAS	6	6	6	6	6	6
Powert	KW	0.75	1.0	1.5	2.5	3.5	4.5
Power supply		380V/ 50HZ/ 3P (AS PER YOUR REQUIREMENT)					
Weight	KG	95	105	120	150	200	250

Dimensions will be changed if any special type required.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.zhongneng.nt-rt.ru | | zge@nt-rt.ru